September 2020

DROPTILE FLOORINGS HAVE A POROUS SURFACE WHICH CAN ABSORB WATER. IF LIQUIDS ON SURFACE ARE NOT WIPE OR DRIED AWAY OR IF TOO MUCH WATER IS USED TO CLEAN THE FLOOR, MOLD FORMATION OR ODORS CAN **RESULT.**

GENERAL ADVICES

Around 80% of dust are coming from outside, doormats should be installed at the entrance of the sports hall which include:

- A rubber or brush mat to remove coarse dirt,
- A ribbed carpet mat to retain fine and damp dirt,
- A carpet mat to absorb residual moisture and dirt.



Minimum 5 "foot sweeps" is recommended to remove 90% of dust Emco: www.emco-bau.com

Anyone using the sports surface must wear dedicated footwear, suitable and specific for practicing indoor sports.

DAILY MANUAL MAINTENANCE

Remove dust and gravels by sweeping with disposable gauze or with vacuum cleaning.

You can also use an auto scrubber such as a Rotowash B45.





WEEKLY MECHANICAL MAINTENANCE (minimum once a week)

Wash manually with a double buckets trolley and with a flat broom equipped with a microfiber, or wash mechanically with an auto scrubber Rotowash B45 or equivalent equipped with flexible grey brushes.

For these two methods, or use the neutral cleaning product, or the Tanex Allround diluted at 0,25% (25 ml for 10 L) in the tank.

The biocleaning method – steam disinfection using Sanivap equipment can also be used.

Tanex Allround (Werner et Mertz): www.wmprof.com

Rotowash: www.rotowash.com Sanivap: www.sanivap.com







If any doubts, please contact your local Tarkett Sports representative for further information.



September 2020

PERIODICAL MAINTENANCE

Wash mechanically with an auto scrubber Rotowash B45 or equivalent equipped with flexible grey brushes, or wash manually with a double buckets trolley and with a flat broom equipped with a microfiber.

For these two methods, use a alkaline detergent such as the Tanex Allround diluted at 2% (200 ml for 10 L) in the tank, then rinse with clear water.



Important: Please follow manufacturer's recommendations.

STAINS REMOVAL

Spills should be wiped up quickly, by using a white clean cloth. For inlaid stains, rub with a microfiber soaked with diluted Tanex Allround,



then rinse with clean water.



DO NOT USE: Abrasive pads, benzene, toluol, acetone, tetrachlororoethene, thinner, oil wax or strong scouring powders.

RESISTANCE TO DYNAMIC LOADS

Droptile Speckle withstands shocks and falls of loads up to 200kg from height of 2 meters. Droptile Black withstands shocks and falls of loads up to 150kg from height of 2 meters.

RECOMMANDED APPLICATIONS:



Cardio



Light weights



Moderate Weights



Heavy Weights



Functional Fitness



Reinforcement Equipment



Crossfit

If any doubts, please contact your local Tarkett Sports representative for further information.

