

December
2021

Omnisports Reference Multi-use has a factory-applied surface coating called Topclean X-treme performance (XP) . This makes Omnisports extremely resistant to abrasion, stains and chemicals and thus makes it easier to maintain.

Please note that to provide the end-customer with the best use of the flooring, the maintenance procedure must carefully be followed. If not, Tarkett Sports will decline all potential damages following a non appropriate maintenance procedure.



After installation, ensure that the temperature is always maintained between 15 and 28°C. Relative air rate moisture must be maintained between 35 and 65%.

GENERAL ADVICES

Anyone using the sports surface must wear dedicated footwear, suitable and specific for practicing indoor sports.

Around 80% of dust are coming from outside, doormats should be installed at the entrance of the sports hall which include :

- A rubber or brush mat to remove coarse dirt,
- A ribbed carpet mat to retain fine and damp dirt,
- A carpet mat to absorb residual moisture and dirt.



Minimum 5 "foot sweeps" is recommended
Emco : www.emco-bau.com

DAILY MANUAL MAINTENANCE

Remove dust and gravels by sweeping or vacuum cleaning.



WEEKLY MECHANICAL MAINTENANCE

Minimum once a week, wash mechanically with an automatic scrubber machine (for example Nilfisk BR652) fitted out with 3M red pads or with an auto scrubber (for example Rotowash B60) equipped with flexible grey brushes.

Dilute the cleaning product (such as Tanex Trophy) by 1% (100 ml for 10 L) in the tank.

Tanex Allround (Werner et Mertz) : www.wmprof.com

Rotowash : www.rotowash.com

Sanivap : www.sanivap.com



Important: Please follow manufacturer's recommendations.

If any doubts, please contact your local Tarkett Sports representative for further information.

December
2021

PERIODICAL MAINTENANCE

A periodical care can be done by using an automatic scrubber machine (for example Nilfisk BR652) fitted out with 3M red pads or with an auto scrubber (for example Rotowash B60) equipped with flexible grey brushes.

Dilute the cleaning product (such as Tanex Trophy) by 10%. Apply the mix (water/Tanex Trophy) without vacuuming. Let the product soak into the floor for 5 minutes, vacuum the surface, and then clean against the floor only with water.

Important: Please follow manufacturer's recommendations.

For this periodical maintenance, you can also use a special scrub disc to avoid using detergent.

ADN company : www.adnord.net



STAINS REMOVAL

Spills should be wiped up quickly, by using a white clean cloth, before they have time to set, then clean the floor with clear water.

For stubborn stains on the floor (handball players resin for instance), spray Tanex Trophy (dilution 20%), let it work during 1 minute, rub with a piece of 3M pad red, flush with water and sweep with a white clean cloth.



Important: Please follow manufacturer's recommendations.



CAUTION, DO NOT USE













Benzine, toluol, acetone, tetrachlororoethene, thinner, oil wax or strong scouring powders...

Black rubber tires (pad on the feet of seats, bench.....) can cause permanent discoloration and should not be used.

If any doubts, please contact your local Tarkett Sports representative for further information.

December
2021

EXTRA SPORTIVE USAGE

Auto Scrubber	Chairs & tables	Scrubber dryer	Bleachers (with people sitting)	Basketball hoops	Scissor lift
30 kg	80-110 kg	Max. 600 kg	800 kg per leg	800 kg	Max. 2T
					
					
	Control the quality of chairs and tables feet. The maximum weight on the floor must not exceed 10kg/cm ² during 5 hours.	* For a GreenLay™ installation, the weight of scrubber dryer + people (if stands on) must not exceed 400kg.	Minimum surface of a Leg : 25cm ² . Minimum space between legs : 50cm. The wheel track must be protected with distribution plates to avoid indentation marks on Omnisports and to facilitate the deployment of the heavy bleachers.	Distribution plates must be installed under parking place to avoid indentation marks on Omnisports. ** If the weight exceeds 600kg, the wheel track must also be protected with a 18mm thickness timber spreader	Periodical maintenance : 1 time per year. The wheel track must be protected with a 18mm thickness timber spreader. The parking time must not exceed 5 hours.

PROTECTION OF THE FLOORING DURING NON-SPORTIVE EVENTS

In order to protect the flooring during non-sportive events, like a fair, concert or ball, we recommend the use of Tarkett Sports Protectiles or Touchdown. Under stage or podium, we recommend also to protect floor with distribution plates.

If any doubts, please contact your local Tarkett Sports representative for further information.