

December  
2021

LINOSPORT XF<sup>2</sup> HAS A FACTORY-APPLIED SURFACE COATING CALLED XF<sup>2</sup>. THIS MAKES LINOSPORT XF<sup>2</sup> EXTREMELY RESISTANT TO ABRASION, STAINS AND CHEMICALS AND THUS MAKES IT EASIER TO MAINTAIN. THIS PRODUCT DOES NOT REQUIRE METALLIZATION OR A COATING OF ANY SORT OF WAX BEFORE TRAFFIC CAN CIRCULATE ON IT.

PLEASE NOTE THAT TO PROVIDE THE END-CUSTOMER WITH THE BEST USE OF THE FLOORING, THE MAINTENANCE PROCEDURE MUST CAREFULLY BE FOLLOWED. IF NOT, TARKETT SPORTS WILL DECLINE ALL POTENTIAL DAMAGES FOLLOWING A NON APPROPRIATE MAINTENANCE PROCEDURE.



**After installation, ensure that the temperature is always maintained between 15 and 28°C. Relative air rate moisture must be maintained between 35 and 65%.**

### GENERAL ADVICES

Anyone using the sports surface must wear dedicated footwear, suitable and specific for practicing indoor sports.

Around 80% of dust are coming from outside, doormats should be installed at the entrance of the sports hall which include :

- A rubber or brush mat to remove coarse dirt,
- A ribbed carpet mat to retain fine and damp dirt,
- A carpet mat to absorb residual moisture and dirt.



A minimum of 5 "foot sweeps" is recommended

Emco : [www.emco-bau.com](http://www.emco-bau.com)

### DAILY MANUAL MAINTENANCE

Remove dust and gravel by sweeping or vacuum cleaning.



### WEEKLY MECHANICAL MAINTENANCE

Minimum once a week, wash mechanically with an automatic scrubber machine (for example Nilfisk BR652) fitted out with 3M red pads or with an auto scrubber (for example Rotowash B60) equipped with flexible grey brushes.

Dilute the neutral detergent (such as Dynatech Tanet Orange) by 1% (100 ml for 10 L) in the tank.

Dynatech (Werner et Mertz) : [www.wmprof.com](http://www.wmprof.com)

Rotowash : [www.rotowash.com](http://www.rotowash.com)

Nilfisk : [www.nilfisk.com](http://www.nilfisk.com)



**Important: Please follow manufacturer's recommendations.**

*If any doubts, please contact your local Tarkett Sports representative for further information.*

December  
2021

## PERIODICAL MAINTENANCE

A periodical care can be done by using an automatic scrubber machine (for example Nilfisk BR652) fitted out with 3M red pads or with an auto scrubber (for example Rotowash B60) equipped with flexible grey brushes.

Dilute the cleaning product (such as Tanex Trophy) by 10%. Apply the mix (water/Tanex Trophy) without vacuuming. Let the product soak into the floor for 5 minutes, vacuum the surface, and then clean against the floor only with water.



**Important: Please follow manufacturer's recommendations.**

For this periodical maintenance, you can also use a special scrub disc to avoid using detergent.

ADN company : [www.adnnord.net](http://www.adnnord.net)



## STAIN REMOVAL

Spills should be wiped up quickly, by using a white clean cloth, before they have time to set, then clean the floor with clear water.

For stubborn stains on the floor (handball players resin for instance), spray Tanex Trophy (dilution 20%), let it work during 1 minute, rub with a piece of 3M pad red, flush with water and sweep with a white clean cloth.

## CAUTION, DO NOT USE

Benzene, toluol, acetone, tetrachlororoethene, thinner, oil wax or strong scouring powders.....



*The information given in this guide is provided for indicative purposes only. It is the result of our knowledge and our experience. It shall be taken as general maintenance instructions and cannot, by definition, incorporate the actual data for each installation. We therefore reserve the right to modify it at any time.*

*If any doubts, please contact your local Tarkett Sports representative for further information.*

December  
2021

### EXTRA SPORTIVE USAGE

Auto Scrubber	Chairs & tables	Scrubber dryer	Bleachers (with people sitting)	Basketball hoops	Scissor lift
30 kg	80-110 kg	Max. 600 kg	1200 kg per leg	1500 kg	Max. 3.5T
					
					
	Control the quality of chairs and tables feet.		Minimum surface of a Leg : 25cm <sup>2</sup> . Minimum space between legs : 50cm.		Periodical maintenance : 4 times per year.



**Caution:** Compliance with the point loads given for the bleacher, basketball hoop and scissor lift does not mean that the floorcovering will not be left with a permanent indentation. We recommend the use of contact elements that do not make an indentation (polyurethane white wheels for example), or of distribution plates in the event of doubt.



*Polyurethane wheels*

### PROTECTION OF THE FLOORING DURING NON-SPORTIVE EVENTS

In order to protect the flooring during non-sportive events, like a fair, concert or ball, we recommend the use of Tarkett Sports Protectiles or Touchdown. Under stage or podium, we recommend also to protect floor with distribution plates.

*If any doubts, please contact your local Tarkett Sports representative for further information.*